



**2810**  
**2815**



### **Victoria**

A: 27 Metcalf Street, Dandenong South, Victoria, 3175

P: (03) 9796 3744

### **Western Australia**

A: 260 Allen Road Forrestdale, Western Australia, 6112

P: (08) 9418 4988

### **Queensland**

A: Unit 8, 315 Archerfield Road, Richlands, Queensland, 4077

P: (03) 9796 3744

### **New South Wales**

A: Unit D, 26 Penny Place, Arndell Park, New South Wales, 2148

P: (03) 9796 3744

E: [sales@abdexhydraulics.com.au](mailto:sales@abdexhydraulics.com.au)

# AIR HYDRAULIC PIT JACKS

Wheeled air operated hydraulic pit jack, fully automatic, suitable for lifting heavy vehicles or for the assistance and maintenance of speed and differential gears. Our range boasts 8 different models, conceived and designed to meet all requirements. Besides two different control units (EASY and TOP), 2 different wheel systems can be chosen: the first on pneumatic cylinders with independent air tank, the second with wheels mounted on shock absorbers. Two different load bearing capacities: 10/20 t (11/22 ton) and 15/30 t (17/33 ton). The range is ideal for all workshops with communicating pits and for working under lifts. Out of the comprehensive range of accessories you can ask for the remote control, indispensable to work safely in all situations.



## CONFIGURATIONS

Item	Wheels				Controls			
		Cod.		Cod.		Cod.		Cod.
<b>YAK 2810</b>	Air	A	Spring	S	Easy	E	Top	T
<b>YAK 2815</b>	Air	A	Spring	S	Easy	E	Top	T

## SPECIFICATIONS

	<b>YAK 2810</b>	<b>YAK 2815</b>
Capacity	10/20 t 11/22 ton	15/30 t 17/33 ton
Net weight	250 kg 551 lb	250 kg 551 lb
Working air pressure	8-10 bar 116-145 psi	8-10 bar 116-145 psi
Air waste	600 nl/min	600 nl/min

## DIMENSIONS

	<b>YAK 2810</b>	<b>YAK 2815</b>
A	850 mm 33.46 in	850 mm 33.46 in
B	840 mm 33.07 in	840 mm 33.07 in
C	60 mm 2.36 in	60 mm 2.36 in
D	20 mm 0.79 in	20 mm 0.79 in
E	55 mm 2.17 in	55 mm 2.17 in
F	118 mm 4.65 in	118 mm 4.65 in
G	603 mm 23.74 in	603 mm 23.74 in
H	581 mm 22.87 in	581 mm 22.87 in
K	1984 mm 78.11 in	1984 mm 78.11 in
J	800 mm 31.5 in	800 mm 31.5 in
	20 t 22 ton	15 t 17 ton
	10 t 11 ton	30 t 33 ton

## WHEELS

### PNEUMATIC VERSION



Air driven wheels: 1200 kg total capacity


### SPRING VERSION



Wheels with spring: 600 kg total capacity

## POWER UNIT

### TOP VERSION



### EASY VERSION



- 1 Quick approach
- 2 Lifting
- 3 Quick descent
- 4 Adjusting motor speed/lifting
- 5 Motor speed/lifting selector
- 6 Fine jack drop adjustment

